

Andrew Smith



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

APM 3

Lab# 2373

Customer *American Pools Management*
3261 Babcock Blvd.
Pittsburgh, PA 15237

Sample Collection

Facility Name: *Nob Hill*
Address: *3000 Swallow Hill Rd.*
Pittsburgh, PA 15220

Date: *6/2/25*
Time: *1:24 PM*
Method: *Grab*

Sample Final Analysis

Matrix: *Recreational Water*
Source Type: *Pool*

Date: *6/5/25*
Time: *9:30 AM*
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	6/3/25 11:00 AM	EB	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/3/25 11:00 AM	EB	SM 9222B
Standard plate count:	0/ml	200/ml	6/2/25 6:30 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	6/2/25 1:24 PM	CW	DPD
Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	6/2/25 1:24 PM	CW	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/2/25 1:24 PM	CW	Visual

Sample comments

Andre Smith

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor