



Dream Pools And Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

APM 2

Lab# 2700

Customer *American Pools Management*
3261 Babcock Blvd.
Pittsburgh, PA 15237

Sample Collection

Facility Name: *Hamilton Place*

Date: 8/26/25

Address: *100 Addie Ct.*
Pittsburgh, PA 15234

Time: 8:55 AM

Method: *Grab*

Sample Final Analysis

Matrix: *Recreational Water*

Date: 8/29/25

Source Type: *Pool*

Time: 10:30 AM

Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	8/27/25	11:30 AM	AS	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/27/25	11:30 AM	AS	SM 9222B
Standard plate count:	0/ml	200/ml	8/26/25	5:30 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	8/26/25	8:55 AM	SL	DPD
Chlorine:	3.0 mg/l	1.0 - 5.0 mg/l	8/26/25	8:55 AM	SL	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/26/25	8:55 AM	SL	Visual

Sample comments

Andre Smith

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor