



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

E - 10

Lab# 2578

Customer

Facility Name: White Oaks Farms
Address: 502 Riverview Drive
White Oak, PA 15131

Sample Collection

Date: 7/9/25
Time: 11:00 AM
Method: Grab

Sample Final Analysis

Date: 7/12/25
Time: 8:30 AM
Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	7/10/25 10:50 AM	SL	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/10/25 10:50 AM	SL	SM 9222B
Standard plate count:	0/ml	200/ml	7/9/25 6:15 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.0 SU	7.2 - 7.8 SU	7/9/25 11:00 AM	BH	DPD
Chlorine:	10.0 mg/l	1.0 - 5.0 mg/l	7/9/25 11:00 AM	BH	DPD
Turbidity:	1 NTU	1 - 2 NTU	7/9/25 11:00 AM	BH	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

E - 10

Lab# 2578

Customer

Facility Name: White Oaks Farms
Address: 502 Riverview Drive
White Oak, PA 15131

Sample Collection

Date: 7/9/25
Time: 11:00 AM
Method: Grab

Sample Final Analysis

Date: 7/12/25
Time: 8:30 AM
Analyst: AS

Matrix: Recreational Water
Source Type: Pool

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	7/10/25 10:50 AM	SL	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/10/25 10:50 AM	SL	SM 9222B
Standard plate count:	0/ml	200/ml	7/9/25 6:15 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.0 SU	7.2 - 7.8 SU	7/9/25 11:00 AM	BH	DPD
Chlorine:	10.0 mg/l	1.0 - 5.0 mg/l	7/9/25 11:00 AM	BH	DPD
Turbidity:	1 NTU	1 - 2 NTU	7/9/25 11:00 AM	BH	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith

Andre Smith, Lead Supervisor