



**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

Lab ID No. 02-04041

**C-2**

**Lab# 056**

**Customer**

Facility Name: Club Pittsburgh  
Address: 1139 Penn Ave.  
Pittsburgh, PA 15222

Matrix: Recreational Water

Source Type: Spa

**Sample Collection**

Date: 1/19/26  
Time: 10:40 AM  
Method: Grab

**Sample Final Analysis**

Date: 1/22/26  
Time: 10:00 AM  
Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation	Date/Time	Analyst	Method
---------------------	---------	-----------------	------------	-----------	---------	--------

Escherichia Coli:	Absent	Absent	1/20/26	9:30 AM	AS	SM 9222G
Total coliforms:	0/100mls	2/100mls	1/20/26	9:30 AM	AS	SM 9222B
Standard plate count:	0/ml	200/ml	1/0/00	3:16 PM	SL	SM 9215B

Additional Analysis	Results	Reporting limit	Incubation	Date/Time	Analyst	Method
---------------------	---------	-----------------	------------	-----------	---------	--------

Fecal Streptococcus	0/100mls	2/100mls	1/20/26	10:40 AM	SL	SM 9230C
---------------------	----------	----------	---------	----------	----	----------

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
----------------	---------	-----------------	-----------	---------	--------

pH:	7.6 SU	7.2 - 7.8 SU	1/19/26	10:40 AM	BH	DPD
Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	1/19/26	10:40 AM	BH	DPD
Turbidity:	1 NTU	1 - 2 NTU	1/19/26	10:40 AM	BH	Visual

**Sample comments**

Andre Smith, Lead Supervisor

( When exceeding reporting limit pool or spa is unfit)