



**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

Lab ID No. 02-04041

**N-3**

**Lab# 216**

**Customer**

**Facility Name:** Longwood at Oakmont

**Address:** 500 Rt. 909  
Verona, PA 15147

**Matrix:** Recreational Water

**Source Type:** Spa

**Sample Collection**

**Date:** 12/2/25

**Time:** 12:13 PM

**Method:** Grab

**Sample Final Analysis**

**Date:** 12/5/25

**Time:** 11:00 AM

**Analyst:** AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	12/3/25	10:30 AM	AS	SM 9222G
Total coliforms:	0/100mls	2/100mls	12/3/25	10:30 AM	AS	SM 9222B
Standard plate count:	570/ml	200/ml	12/2/25	4:30 PM	AS	SM 9215B

Additional Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Fecal Streptococcus	0/100mls	2/100mls	12/3/25	5:50 PM	AS	SM 9230C

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.2 SU	7.2 - 7.8 SU	12/2/25	12:13 PM	SL	DPD
Chlorine:	0.0 mg/l	1.0 - 5.0 mg/l	12/2/25	12:13 PM	SL	DPD
Turbidity:	1 NTU	1 - 2 NTU	12/2/25	12:13 PM	SL	Visual

**Sample comments**

*Andre Smith*

Andre Smith, Lead Supervisor

( When exceeding reporting limit pool or spa is unfit)