



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661-7665
Laboratory Analysis Report

Lab ID No. 02-04041

N-11

Lab# 2077

Customer

Facility Name: Camp Sky Meadow
Address: 164 Sky Meadow Lane
Avonmore, PA 15618
Matrix: Recreational Water
Source Type: Pool

Sample Collection

Date: 7/29/25
Time: 12:15 PM
Method: Grab

Sample Final Analysis

Date: 8/1/25
Time: 9:00 AM
Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	7/30/25	10:00 AM	AH
Total coliforms:	0/100mls	2/100mls	7/30/25	10:00 AM	AH
Standard plate count:	5700/ml	200/ml	7/29/25	4:00 PM	EB

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	7/29/25	12:15 PM	SH
Chlorine:	0.0 mg/l	1.0 - 5.0 mg/l	7/29/25	12:15 PM	SH
Turbidity:	1 NTU	1 - 2 NTU	7/29/25	12:15 PM	SH

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661-7665
Laboratory Analysis Report

Lab ID No. 02-04041

N-11

Lab# 2077

Customer

Facility Name: Camp Sky Meadow
Address: 164 Sky Meadow Lane
Avonmore, PA 15618
Matrix: Recreational Water
Source Type: Pool

Sample Collection

Date: 7/29/25
Time: 12:15 PM
Method: Grab

Sample Final Analysis

Date: 8/1/25
Time: 9:00 AM
Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	7/30/25	10:00 AM	AH
Total coliforms:	0/100mls	2/100mls	7/30/25	10:00 AM	AH
Standard plate count:	5700/ml	200/ml	7/29/25	4:00 PM	EB

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	7/29/25	12:15 PM	SH
Chlorine:	0.0 mg/l	1.0 - 5.0 mg/l	7/29/25	12:15 PM	SH
Turbidity:	1 NTU	1 - 2 NTU	7/29/25	12:15 PM	SH

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor