Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

E - 10

Lab# 2683

Customer

Facility Name:	*South Meadows at Linwood*
Address:	*Triple Crown Circle*
	Greensburg, PA 15601
Matrix:	*Recreational Water*
Source Type:	*Pool*

Sample Collection

Date:	*6/17/25*
Time:	10:32 AM
Method:	*Grab*

Sample Final Analysis

Date:	*6/20/25*
Time:	*9:00 AM*
Analyst:	*AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	6/18/25	9:00 AM	EB	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/18/25	9:00 AM	EB	SM 9222B
Standard plate count:	0/ml	200/ml	6/17/25	3:03 PM	EB	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	6/17/25	10:32 AM	JC	DPD
Chlorine:	7.5 mg/l	1.0 - 5.0 mg/l	6/17/25	10:32 AM	JC	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/17/25	10:32 AM	JC	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor

Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

E - 10

Lab# 2683

Customer

Facility Name:	*South Meadows at Linwood*
Address:	*Triple Crown Circle*
	Greensburg, PA 15601
Matrix:	*Recreational Water*
Source Type:	*Pool*

Sample Collection

Date:	*6/17/25*
Time:	10:32 AM
Method:	*Grab*

Sample Final Analysis

Date:	*6/20/25*
Time:	*9:00 AM*
Analyst:	*AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	6/18/25	9:00 AM	EB	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/18/25	9:00 AM	EB	SM 9222B
Standard plate count:	0/ml	200/ml	6/17/25	3:03 PM	EB	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	6/17/25	10:32 AM	JC	DPD
Chlorine:	7.5 mg/l	1.0 - 5.0 mg/l	6/17/25	10:32 AM	JC	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/17/25	10:32 AM	JC	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor