



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

N-10

Lab# 2075

Customer

Facility Name: *Camp Guyasuta*
Address: *300 23rd Street*
Sharpsburg, PA 15215

Matrix: *Recreational Water*

Source Type: *Splash Pool*

Sample Collection

Date: *7/16/25*
Time: *9:24 AM*
Method: *Grab*

Sample Final Analysis

Date: *7/19/25*
Time: *8:00 AM*
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	7/17/25	10:10 AM	SL	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/17/25	10:10 AM	SL	SM 9222B
Standard plate count:	200/ml	200/ml	7/16/25	5:30 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	7/16/25	9:24 AM	CW	DPD
Chlorine:	5.0 mg/l	1.0 - 5.0 mg/l	7/16/25	9:24 AM	CW	DPD
Turbidity:	1 NTU	1 - 2 NTU	7/16/25	9:24 AM	CW	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

N-10

Lab# 2075

Customer

Facility Name: *Camp Guyasuta*
Address: *300 23rd Street*
Sharpsburg, PA 15215

Matrix: *Recreational Water*

Source Type: *Splash Pool*

Sample Collection

Date: *7/16/25*
Time: *9:24 AM*
Method: *Grab*

Sample Final Analysis

Date: *7/19/25*
Time: *8:00 AM*
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	7/17/25	10:10 AM	SL	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/17/25	10:10 AM	SL	SM 9222B
Standard plate count:	200/ml	200/ml	7/16/25	5:30 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	7/16/25	9:24 AM	CW	DPD
Chlorine:	5.0 mg/l	1.0 - 5.0 mg/l	7/16/25	9:24 AM	CW	DPD
Turbidity:	1 NTU	1 - 2 NTU	7/16/25	9:24 AM	CW	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith

Andre Smith, Lead Supervisor