



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661-7665
Laboratory Analysis Report

Lab ID No. 02-04041

E - 12

Lab# 2274

Customer

Facility Name: Hosanna Camp

Address: 400 Sherwood Rd
Pittsburgh, PA 15221

Matrix: Recreational Water

Source Type: Shallow End

Sample Collection

Date: 7/21/25

Time: 11:49 AM

Method: Grab

Sample Final Analysis

Date: 7/24/25

Time: 10:00 AM

Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	7/22/25	9:00 AM	AH
Total coliforms:	0/100mls	2/100mls	7/22/25	9:00 AM	AH
Standard plate count:	0/ml	200/ml	7/21/25	3:07 PM	AH

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	7/21/25	11:49 AM	EH
Chlorine:	1.0 mg/l	1.0 - 5.0 mg/l	7/21/25	11:49 AM	EH
Turbidity:	1 NTU	1 - 2 NTU	7/21/25	11:49 AM	EH

Sample comments

(When exceeding reporting limit pool or spa is unfit)

A handwritten signature in black ink that reads "Andre Smith".

Andre Smith, Lead Supervisor



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661-7665
Laboratory Analysis Report

Lab ID No. 02-04041

E - 12

Lab# 2274

Customer

Facility Name: Hosanna Camp

Address: 400 Sherwood Rd
Pittsburgh, PA 15221

Matrix: Recreational Water

Source Type: Shallow End

Sample Collection

Date: 7/21/25

Time: 11:49 AM

Method: Grab

Sample Final Analysis

Date: 7/24/25

Time: 10:00 AM

Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	7/22/25	9:00 AM	AH
Total coliforms:	0/100mls	2/100mls	7/22/25	9:00 AM	AH
Standard plate count:	0/ml	200/ml	7/21/25	3:07 PM	AH

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	7/21/25	11:49 AM	EH
Chlorine:	1.0 mg/l	1.0 - 5.0 mg/l	7/21/25	11:49 AM	EH
Turbidity:	1 NTU	1 - 2 NTU	7/21/25	11:49 AM	EH

Sample comments

(When exceeding reporting limit pool or spa is unfit)

A handwritten signature in black ink that reads "Andre Smith".

Andre Smith, Lead Supervisor