



Dream Pools And Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

APM 1

Lab# 2637

Customer

American Pools Management
3261 Babcock Blvd.
Pittsburgh, PA 15237

Sample Collection

Date: 6/18/25
Time: 12:13 PM
Method: Grab

Sample Final Analysis

Date: 6/20/25
Time: 3:30 PM
Analyst: AS

Facility Name: Arsenal 201 Phase 1
Address: 3922 Foster St.
Pittsburgh, PA 15201

Matrix: Recreational Water
Source Type: Pool 1

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	6/18/25	5:40 PM	SL	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/18/25	5:40 PM	SL	SM 9222B
Standard plate count:	0/ml	200/ml	6/18/25	5:39 PM	SL	SM 9215B
Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	8.0 SU	7.2 - 7.8 SU	6/18/25	12:13 PM	ZR	DPD
Chlorine:	5.0 mg/l	1.0 - 5.0 mg/l	6/18/25	12:13 PM	ZR	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/18/25	12:13 PM	ZR	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor



Dream Pools And Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

APM 1

Lab# 2637

Customer

American Pools Management
3261 Babcock Blvd.
Pittsburgh, PA 15237

Sample Collection

Date: 6/18/25
Time: 12:13 PM
Method: Grab

Sample Final Analysis

Date: 6/20/25
Time: 3:30 PM
Analyst: AS

Facility Name: Arsenal 201 Phase 1
Address: 3922 Foster St.
Pittsburgh, PA 15201

Matrix: Recreational Water
Source Type: Pool 1

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	6/18/25	5:40 PM	SL	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/18/25	5:40 PM	SL	SM 9222B
Standard plate count:	0/ml	200/ml	6/18/25	5:39 PM	SL	SM 9215B
Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	8.0 SU	7.2 - 7.8 SU	6/18/25	12:13 PM	ZR	DPD
Chlorine:	5.0 mg/l	1.0 - 5.0 mg/l	6/18/25	12:13 PM	ZR	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/18/25	12:13 PM	ZR	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor