Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

W-10

Lab# 2284

Customer			**Sample Collection**	
Facility Name:	*Independence Square*		*Date:*	*6/2/25*
			Time:	11:42 AM
Address:	*Lexington Dr*		*Method:*	*Grab*
	Aliquippa, PA 15001			
			Sample Final Analysis	
Matrix:	*Recreational Water*		*Date:*	*6/5/25*
			Time:	*9:30 AM*
Source Type:	*Pool*		*Analyst:*	*AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	6/3/25	11:30 AM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/3/25	11:30 AM	AH	SM 9222B
Standard plate count:	0/ml	200/ml	6/2/25	6:45 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	8.0 SU	7.2 - 7.8 SU	6/2/25	11:42 AM	AH	DPD
Chlorine:	10.0 mg/l	1.0 - 5.0 mg/l	6/2/25	11:42 AM	AH	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/2/25	11:42 AM	AH	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith

Andre Smith, Lead Supervisor

Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

W-10

Lab# 2284

Customer

Facility Name:	*Independence Square*
Address:	*Lexington Dr*
	Aliquippa, PA 15001
Matrix:	*Recreational Water*
Source Type:	*Pool*

Sample Collection

Date:	*6/2/25*
Time:	11:42 AM
Method:	*Grab*

Sample Final Analysis

Date:	*6/5/25*
Time:	*9:30 AM*
Analyst:	*AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	6/3/25	11:30 AM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/3/25	11:30 AM	AH	SM 9222B
Standard plate count:	0/ml	200/ml	6/2/25	6:45 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	8.0 SU	7.2 - 7.8 SU	6/2/25	11:42 AM	AH	DPD
Chlorine:	10.0 mg/l	1.0 - 5.0 mg/l	6/2/25	11:42 AM	AH	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/2/25	11:42 AM	AH	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith

Andre Smith, Lead Supervisor