



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661-7665
Laboratory Analysis Report

Lab ID No. 02-04041

N-15

Lab# 482

Customer

Facility Name: YMCA - Schneider
Address: 2001 Ehrman Rd
Cranberry, PA 16066
Matrix: Recreational Water
Source Type: Large Pool

Sample Collection

Date: 7/22/25
Time: 12:36 PM
Method: Grab

Sample Final Analysis

Date: 7/25/25
Time: 10:00 AM
Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	7/23/25	11:00 AM	SL SM 9222G
Total coliforms:	0/100mls	2/100mls	7/23/25	11:00 AM	SL SM 9222B
Standard plate count:	0/ml	200/ml	7/22/25	5:00 PM	SL SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	7/22/25	12:36 PM	ZR DPD
Chlorine:	3.0 mg/l	1.0 - 5.0 mg/l	7/22/25	12:36 PM	ZR DPD
Turbidity:	1 NTU	1 - 2 NTU	7/22/25	12:36 PM	ZR Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith

Andre Smith, Lead Supervisor



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661-7665
Laboratory Analysis Report

Lab ID No. 02-04041

N-15

Lab# 482

Customer

Facility Name: YMCA - Schneider
Address: 2001 Ehrman Rd
Cranberry, PA 16066
Matrix: Recreational Water
Source Type: Large Pool

Sample Collection

Date: 7/22/25
Time: 12:36 PM
Method: Grab

Sample Final Analysis

Date: 7/25/25
Time: 10:00 AM
Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	7/23/25	11:00 AM	SL SM 9222G
Total coliforms:	0/100mls	2/100mls	7/23/25	11:00 AM	SL SM 9222B
Standard plate count:	0/ml	200/ml	7/22/25	5:00 PM	SL SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	7/22/25	12:36 PM	ZR DPD
Chlorine:	3.0 mg/l	1.0 - 5.0 mg/l	7/22/25	12:36 PM	ZR DPD
Turbidity:	1 NTU	1 - 2 NTU	7/22/25	12:36 PM	ZR Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith

Andre Smith, Lead Supervisor