



Dream Pools And Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

APM 1

Lab# 2004

Customer

American Pools Management
3261 Babcock Blvd.
Pittsburgh, PA 15237

Sample Collection

Facility Name: Accord -Avonworth
Address: 498 Camp Horne Road
Pittsburgh, PA 15237

Date: 8/11/25
Time: 1:42 PM
Method: Grab

Sample Final Analysis

Matrix: Recreational Water
Source Type: Deep End

Date: 8/14/25
Time: 9:00 AM
Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	8/12/25	11:00 AM	EB	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/12/25	11:00 AM	EB	SM 9222B
Standard plate count:	0/ml	200/ml	8/11/25	6:00 PM	SL	SM 9215B
Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	8/11/25	1:42 PM	MM	DPD
Chlorine:	4.0 mg/l	1.0 - 5.0 mg/l	8/11/25	1:42 PM	MM	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/11/25	1:42 PM	MM	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor



Dream Pools And Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

APM 1

Lab# 2004

Customer *American Pools Management*
3261 Babcock Blvd.
Pittsburgh, PA 15237

Sample Collection

Facility Name: *Accord -Avonworth* *Date:* *8/11/25*
Address: *498 Camp Horne Road* *Time:* *1:42 PM*
Pittsburgh, PA 15237 *Method:* *Grab*

Sample Final Analysis

Matrix: *Recreational Water* *Date:* *8/14/25*
Source Type: *Deep End* *Time:* *9:00 AM*
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	8/12/25 11:00 AM	EB	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/12/25 11:00 AM	EB	SM 9222B
Standard plate count:	0/ml	200/ml	8/11/25 6:00 PM	SL	SM 9215B
Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	8/11/25 1:42 PM	MM	DPD
Chlorine:	4.0 mg/l	1.0 - 5.0 mg/l	8/11/25 1:42 PM	MM	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/11/25 1:42 PM	MM	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor