

Dream Pools and Spas 1105 Washington Blvd Pittsburgh, Pennsylvania 15206 (412) 661- 7665 Laboratory Analysis Report

Lab ID No. 02-04041

S-16

Lab# 2511

<u>Customer</u> Facility Name:

Stone Creek Apts.

Address:

1 Clubhouse Circle

Washington, PA 15301

Matrix:

Recreational Water

Source Type:

Pool

Sample Collection

Date:

e: 6/24/25

Time:

11:10 AM

Method: Grab

Sample Final Analysis

Date: Time: 6/27/25 9:20 AM

Analyst:

AS

Accredited Analysis	Results R	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	6/25/25	9:30 AM	EB	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/25/25	9:30 AM	EB	SM 9222B
Standard plate count:	0/ml	200/ml	6/24/25	3:59 PM	EB	SM 9215B

Field Analysis	Results	Reporting limit	D	ate/Time	Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	6/24/25	11:10 AM	GR	DPD
Chlorine:	1.0 mg/l	1.0 - 5.0 mg/l	6/24/25	11:10 AM	GR	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/24/25	11:10 AM	GR	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

andre Smith

Andre Smith, Lead Supervisor



Dream Pools and Spas 1105 Washington Blvd Pittsburgh, Pennsylvania 15206 (412) 661- 7665 Laboratory Analysis Report

Lab ID No. 02-04041

S-16

Lab# 2511

<u>Customer</u> Facility Name:

Stone Creek Apts.

Address:

1 Clubhouse Circle

Washington, PA 15301

Matrix:

Recreational Water

Source Type:

Pool

Sample Collection

Date:

e: 6/24/25

Time:

11:10 AM

Method: Grab

Sample Final Analysis

Date: Time: 6/27/25 9:20 AM

Analyst:

AS

Accredited Analysis	Results R	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	6/25/25	9:30 AM	EB	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/25/25	9:30 AM	EB	SM 9222B
Standard plate count:	0/ml	200/ml	6/24/25	3:59 PM	EB	SM 9215B

Field Analysis	Results	Reporting limit	D	ate/Time	Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	6/24/25	11:10 AM	GR	DPD
Chlorine:	1.0 mg/l	1.0 - 5.0 mg/l	6/24/25	11:10 AM	GR	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/24/25	11:10 AM	GR	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

andre Smith

Andre Smith, Lead Supervisor