



Dream Pools And Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

APM 2

Lab# 2265

Customer *American Pools Management*
3261 Babcock Blvd.
Pittsburgh, PA 15237

Sample Collection

Facility Name: *Highlands of Montour Run*

Date: 8/26/25

Address: *100 Lincoln Highlands Dr.*
Coraopolis, PA 15108

Time: 10:53 AM

Method: *Grab*

Sample Final Analysis

Matrix: *Recreational Water*

Date: 8/29/25

Source Type: *Pool*

Time: 10:30 AM

Analyst: AS

| Accredited Analysis | Results | Reporting limit | Incubation Date/Time | | Analyst | Method |
|----------------------------|----------------|------------------------|-----------------------------|----------|----------------|---------------|
| Escherichia Coli: | Absent | Absent | 8/27/25 | 11:00 AM | AS | SM 9222G |
| Total coliforms: | 0/100mls | 2/100mls | 8/27/25 | 11:00 AM | AS | SM 9222B |
| Standard plate count: | 0/ml | 200/ml | 8/26/25 | 4:55 PM | AS | SM 9215B |

| Field Analysis | Results | Reporting limit | Date/Time | | Analyst | Method |
|-----------------------|----------------|------------------------|------------------|----------|----------------|---------------|
| pH: | 8.0 SU | 7.2 - 7.8 SU | 8/26/25 | 10:53 AM | AMH | DPD |
| Chlorine: | 10.0 mg/l | 1.0 - 5.0 mg/l | 8/26/25 | 10:53 AM | AMH | DPD |
| Turbidity: | 1 NTU | 1 - 2 NTU | 8/26/25 | 10:53 AM | AMH | Visual |

Sample comments

Andre Smith

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor