

Dream Pools and Spas 1105 Washington Blvd Pittsburgh, Pennsylvania 15206 (412) 661- 7665 Laboratory Analysis Report

Lab ID No. 02-04041

W-1

Lab# 102

Customer

Facility Name: Fairfield Inn & Suites

Address: 1438 Brodhead Rd.

Monaca, PA 15061

Matrix: Recreational Water

Source Type: Pool

Sample Collection

Date: 9/2/25

Time: 12:52 PM

Method: Grab

Sample Final Analysis

Date: 9/5/25 Time: 10:00 AM

Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubatio	on Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	9/3/25	11:00 AM	JC	SM 9222G
Total coliforms:	0/100mls	2/100mls	9/3/25	11:00 AM	JC	SM 9222B
Standard plate count:	0/ml	200/ml	9/2/25	5:55 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit		Date/Time	Analyst	Method
pH:	7.0 SU	7.2 - 7.8 SU	9/2/25	12:52 PM	AMH	DPD
Chlorine:	5.0 mg/l	1.0 - 5.0 mg/l	9/2/25	12:52 PM	AMH	DPD
Turbidity:	1 NTU	1 - 2 NTU	9/2/25	12:52 PM	AMH	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

andre Smith

Andre Smith, Lead Supervisor