



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

S-16

Lab# 290

Customer

Facility Name: Springhill Suites
Address: 16 Trinity Point Drive
Washington, PA 15301

Matrix: Recreational Water

Source Type: Pool

Sample Collection

Date: 6/17/25
Time: 10:39 AM
Method: Grab

Sample Final Analysis

Date: 6/20/25
Time: 9:00 AM
Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Present	Absent	6/18/25	10:00 AM	AH	SM 9222G
Total coliforms:	10/100mls	2/100mls	6/18/25	10:00 AM	AH	SM 9222B
Standard plate count:	5700/ml	200/ml	6/17/25	4:30 PM	EB	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	6/17/25	10:39 AM	GR	DPD
Chlorine:	0.0 mg/l	1.0 - 5.0 mg/l	6/17/25	10:39 AM	GR	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/17/25	10:39 AM	GR	Visual

Sample comments

Andre Smith

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

S-16

Lab# 290

Customer

Facility Name: Springhill Suites
Address: 16 Trinity Point Drive
Washington, PA 15301

Sample Collection

Date: 6/17/25
Time: 10:39 AM
Method: Grab

Matrix: Recreational Water
Source Type: Pool

Sample Final Analysis

Date: 6/20/25
Time: 9:00 AM
Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Present	Absent	6/18/25	10:00 AM	AH	SM 9222G
Total coliforms:	10/100mls	2/100mls	6/18/25	10:00 AM	AH	SM 9222B
Standard plate count:	5700/ml	200/ml	6/17/25	4:30 PM	EB	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	6/17/25	10:39 AM	GR	DPD
Chlorine:	0.0 mg/l	1.0 - 5.0 mg/l	6/17/25	10:39 AM	GR	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/17/25	10:39 AM	GR	Visual

Sample comments

Andre Smith

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor