



**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

Lab ID No. 02-04041

**E - 12**

**Lab# 2013**

**Customer**

Facility Name: Alcoma on the Green

Address: 225 Alcoma Blvd.  
Penn Hills, PA 15235

Matrix: Recreational Water

Source Type: Pool

**Sample Collection**

Date: 6/18/25

Time: 4:03 PM

Method: Grab

**Sample Final Analysis**

Date: 6/20/25

Time: 3:30 PM

Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	6/18/25	5:40 PM	SL	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/18/25	5:40 PM	SL	SM 9222B
Standard plate count:	0/ml	200/ml	6/18/25	5:39 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	8.0 SU	7.2 - 7.8 SU	6/18/25	4:03 PM	ZR	DPD
Chlorine:	0.0 mg/l	1.0 - 5.0 mg/l	6/18/25	4:03 PM	ZR	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/18/25	4:03 PM	ZR	Visual

**Sample comments**

*Andre Smith*

( When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor



**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

Lab ID No. 02-04041

**E - 12**

**Lab# 2013**

**Customer**

Facility Name: Alcoma on the Green

Address: 225 Alcoma Blvd.  
Penn Hills, PA 15235

Matrix: Recreational Water

Source Type: Pool

**Sample Collection**

Date: 6/18/25

Time: 4:03 PM

Method: Grab

**Sample Final Analysis**

Date: 6/20/25

Time: 3:30 PM

Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	6/18/25	5:40 PM	SL	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/18/25	5:40 PM	SL	SM 9222B
Standard plate count:	0/ml	200/ml	6/18/25	5:39 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	8.0 SU	7.2 - 7.8 SU	6/18/25	4:03 PM	ZR	DPD
Chlorine:	0.0 mg/l	1.0 - 5.0 mg/l	6/18/25	4:03 PM	ZR	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/18/25	4:03 PM	ZR	Visual

**Sample comments**

*Andre Smith*

( When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor