



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

APM 4

Lab# 2562

Customer

American Pools Management
3261 Babcock Blvd.
Pittsburgh, PA 15237

Sample Collection

Facility Name: Waterford at Nevillewood

Date: 8/4/25

Address: 1900 Tee Court
Presto, PA 15142

Time: 10:06 AM

Method: Grab

Sample Final Analysis

Matrix: Recreational Water

Date: 8/7/25

Source Type: Pool

Time: 11:20 AM

Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	8/5/25	10:50 AM	AS	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/5/25	10:50 AM	AS	SM 9222B
Standard plate count:	0/ml	200/ml	8/4/25	4:55 PM	AH	SM 9215B
Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	8/4/25	10:06 AM	AF	DPD
Chlorine:	7.5 mg/l	1.0 - 5.0 mg/l	8/4/25	10:06 AM	AF	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/4/25	10:06 AM	AF	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

APM 4

Lab# 2562

Customer

American Pools Management
3261 Babcock Blvd.
Pittsburgh, PA 15237

Sample Collection

Facility Name: Waterford at Nevillewood

Date: 8/4/25

Time: 10:06 AM

Address: 1900 Tee Court
Presto, PA 15142

Method: Grab

Sample Final Analysis

Matrix: Recreational Water

Date: 8/7/25

Time: 11:20 AM

Source Type: Pool

Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	8/5/25	10:50 AM	AS	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/5/25	10:50 AM	AS	SM 9222B
Standard plate count:	0/ml	200/ml	8/4/25	4:55 PM	AH	SM 9215B
Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	8/4/25	10:06 AM	AF	DPD
Chlorine:	7.5 mg/l	1.0 - 5.0 mg/l	8/4/25	10:06 AM	AF	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/4/25	10:06 AM	AF	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor