



**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

Lab ID No. 02-04041

**N-3**

**Lab# 298**

**Customer**

Facility Name: Town Place Suites

Address: 2785 Freeport Rd  
Harmar, PA 15238

Matrix: Recreational Water

Source Type: Pool

**Sample Collection**

Date: 10/7/25

Time: 4:18 PM

Method: Grab

**Sample Final Analysis**

Date: 10/10/25

Time: 11:30 AM

Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	10/8/25	11:00 AM	JC	SM 9222G
Total coliforms:	0/100mls	2/100mls	10/8/25	11:00 AM	JC	SM 9222B
Standard plate count:	0/ml	200/ml	10/7/25	5:30 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.0 SU	7.2 - 7.8 SU	10/7/25	4:18 PM	SL	DPD
Chlorine:	1.0 mg/l	1.0 - 5.0 mg/l	10/7/25	4:18 PM	SL	DPD
Turbidity:	1 NTU	1 - 2 NTU	10/7/25	4:18 PM	SL	Visual

**Sample comments**

( When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor