



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

APM 3

Lab# 2630

Customer

American Pools Management
3261 Babcock Blvd.
Pittsburgh, PA 15237

Sample Collection

Facility Name: Nineteen North Apts
Address: 1050 Nineteen North Dr.
Pittsburgh, PA 15237

Date: 5/27/25
Time: 3:46 PM
Method: Grab

Sample Final Analysis

Matrix: Recreational Water
Source Type: Pool

Date: 5/30/25
Time: 9:00 AM
Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	5/28/25 11:30 AM	EB	SM 9222G
Total coliforms:	0/100mls	2/100mls	5/28/25 11:30 AM	EB	SM 9222B
Standard plate count:	0/ml	200/ml	5/27/25 7:00 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	5/27/25 3:46 PM	MM	DPD
Chlorine:	5.0 mg/l	1.0 - 5.0 mg/l	5/27/25 3:46 PM	MM	DPD
Turbidity:	1 NTU	1 - 2 NTU	5/27/25 3:46 PM	MM	Visual

Sample comments

Andre Smith

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

APM 3

Lab# 2630

Customer

American Pools Management
3261 Babcock Blvd.
Pittsburgh, PA 15237

Sample Collection

Facility Name: Nineteen North Apts
Address: 1050 Nineteen North Dr.
Pittsburgh, PA 15237

Date: 5/27/25
Time: 3:46 PM
Method: Grab

Sample Final Analysis

Matrix: Recreational Water
Source Type: Pool

Date: 5/30/25
Time: 9:00 AM
Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	5/28/25 11:30 AM	EB	SM 9222G
Total coliforms:	0/100mls	2/100mls	5/28/25 11:30 AM	EB	SM 9222B
Standard plate count:	0/ml	200/ml	5/27/25 7:00 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	5/27/25 3:46 PM	MM	DPD
Chlorine:	5.0 mg/l	1.0 - 5.0 mg/l	5/27/25 3:46 PM	MM	DPD
Turbidity:	1 NTU	1 - 2 NTU	5/27/25 3:46 PM	MM	Visual

Sample comments

Andre Smith

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor