



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

N-15

Lab# 2210

Customer

Facility Name: *Foxmoor Condo*

Address: *21 Stockton Ridge*
Cranberry, PA 16066

Sample Collection

Date: *7/22/25*
Time: *12:48 PM*
Method: *Grab*

Matrix: *Recreational Water*

Sample Final Analysis

Date: *7/25/25*
Time: *10:00 AM*
Analyst: *AS*

Source Type: *Pool*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	7/23/25	11:00 AM	SL	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/23/25	11:00 AM	SL	SM 9222B
Standard plate count:	190/ml	200/ml	7/22/25	5:00 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.8 SU	7.2 - 7.8 SU	7/22/25	12:48 PM	ZR	DPD
Chlorine:	0.0 mg/l	1.0 - 5.0 mg/l	7/22/25	12:48 PM	ZR	DPD
Turbidity:	1 NTU	1 - 2 NTU	7/22/25	12:48 PM	ZR	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

N-15

Lab# 2210

Customer

Facility Name: *Foxmoor Condo*

Address: *21 Stockton Ridge*
Cranberry, PA 16066

Sample Collection

Date: *7/22/25*
Time: *12:48 PM*
Method: *Grab*

Matrix: *Recreational Water*

Sample Final Analysis

Date: *7/25/25*
Time: *10:00 AM*
Analyst: *AS*

Source Type: *Pool*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	7/23/25	11:00 AM	SL	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/23/25	11:00 AM	SL	SM 9222B
Standard plate count:	190/ml	200/ml	7/22/25	5:00 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.8 SU	7.2 - 7.8 SU	7/22/25	12:48 PM	ZR	DPD
Chlorine:	0.0 mg/l	1.0 - 5.0 mg/l	7/22/25	12:48 PM	ZR	DPD
Turbidity:	1 NTU	1 - 2 NTU	7/22/25	12:48 PM	ZR	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor