



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

E-2

Lab# 001

Customer

Facility Name: *Aerobics Center*
Address: *526 New Alexandria Rd.*
Greensburg, PA 15601

Matrix: *Recreational Water*
Source Type: *Pool*

Sample Collection

Date: *1/27/26*
Time: *12:26 PM*
Method: *Grab*

Sample Final Analysis

Date: *1/30/26*
Time: *10:30 AM*
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	1/28/26 10:00 AM	JC	SM 9222G
Total coliforms:	0/100mls	2/100mls	1/28/26 10:00 AM	JC	SM 9222B
Standard plate count:	0/ml	200/ml	1/27/26 5:16 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.8 SU	7.2 - 7.8 SU	1/27/26 12:26 PM	JC	DPD
Chlorine:	7.5 mg/l	1.0 - 5.0 mg/l	1/27/26 12:26 PM	JC	DPD
Turbidity:	1 NTU	1 - 2 NTU	1/27/26 12:26 PM	JC	Visual

Sample comments

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)