



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661-7665
Laboratory Analysis Report

Lab ID No. 02-04041

S-11

Lab# 443

Customer

Facility Name: *Highpoint Fitness*
Address: *1000 Higbee Dr.
Bethel Park, PA 15102*
Matrix: *Recreational Water*
Source Type: *Pool*

Sample Collection

Date: *7/8/25*
Time: *1:58 PM*
Method: *Grab*

Sample Final Analysis

Date: *7/11/25*
Time: *9:00 AM*
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method	
Escherichia Coli:	Absent	Absent	7/9/25	9:30 AM	EB	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/9/25	9:30 AM	EB	SM 9222B
Standard plate count:	190/ml	200/ml	7/8/25	3:48 PM	AH	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method	
pH:	7.4 SU	7.2 - 7.8 SU	7/8/25	1:58 PM	CW	DPD
Chlorine:	8.0 mg/l	1.0 - 5.0 mg/l	7/8/25	1:58 PM	CW	DPD
Turbidity:	1 NTU	1 - 2 NTU	7/8/25	1:58 PM	CW	Visual

Sample comments

Andre Smith

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661-7665
Laboratory Analysis Report

Lab ID No. 02-04041

S-11

Lab# 443

Customer

Facility Name: *Highpoint Fitness*
Address: *1000 Higbee Dr.
Bethel Park, PA 15102*
Matrix: *Recreational Water*
Source Type: *Pool*

Sample Collection

Date: *7/8/25*
Time: *1:58 PM*
Method: *Grab*

Sample Final Analysis

Date: *7/11/25*
Time: *9:00 AM*
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method	
Escherichia Coli:	Absent	Absent	7/9/25	9:30 AM	EB	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/9/25	9:30 AM	EB	SM 9222B
Standard plate count:	190/ml	200/ml	7/8/25	3:48 PM	AH	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method	
pH:	7.4 SU	7.2 - 7.8 SU	7/8/25	1:58 PM	CW	DPD
Chlorine:	8.0 mg/l	1.0 - 5.0 mg/l	7/8/25	1:58 PM	CW	DPD
Turbidity:	1 NTU	1 - 2 NTU	7/8/25	1:58 PM	CW	Visual

Sample comments

Andre Smith

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor