Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

S-13

Lab#   *367*

Customer

Facility Name:	*YMCA - Uniontown*
Address:	*1 YMCA Lane*
	Uniontown, Pa 15401
Matrix:	*Recreational Water*
Source Type:	*Pool*

Sample Collection

Date:	*8/11/25*
Time:	12:50 PM
Method:	*Grab*

Sample Final Analysis

Date:	*8/14/25*
Time:	*9:00 AM*
Analyst:	AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	8/12/25	10:30 AM	EB	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/12/25	10:30 AM	EB	SM 9222B
Standard plate count:	0/ml	200/ml	8/11/25	5:20 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	8/11/25	12:50 PM	SH	DPD
Chlorine:	3.0 mg/l	1.0 - 5.0 mg/l	8/11/25	12:50 PM	SH	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/11/25	12:50 PM	SH	Visual

Sample comments

Andre Smith

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor

Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

S-13

Lab#   367

![B & R Pools and Swim Shop logo]

Customer
Facility Name:	*YMCA - Uniontown*
Address:	*1 YMCA Lane*
	Uniontown, Pa 15401
Matrix:	*Recreational Water*
Source Type:	*Pool*

Sample Collection
Date:	*8/11/25*
Time:	12:50 PM
Method:	*Grab*

Sample Final Analysis
Date:	*8/14/25*
Time:	*9:00 AM*
Analyst:	AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	8/12/25	10:30 AM	EB	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/12/25	10:30 AM	EB	SM 9222B
Standard plate count:	0/ml	200/ml	8/11/25	5:20 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	8/11/25	12:50 PM	SH	DPD
Chlorine:	3.0 mg/l	1.0 - 5.0 mg/l	8/11/25	12:50 PM	SH	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/11/25	12:50 PM	SH	Visual

Sample comments

Andre Smith (signature)

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor