



**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

Lab ID No. 02-04041

**W-11**

**Lab# 416**

**Customer**

Facility Name: Drury Hotel  
Address: 101 Ridge Rd.  
Pittsburgh, PA 15205

**Sample Collection**

Date: 8/26/25  
Time: 9:15 AM  
Method: Grab

Matrix: Recreational Water

Source Type: Spa

**Sample Final Analysis**

Date: 8/29/25  
Time: 10:30 AM  
Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
---------------------	---------	-----------------	----------------------	---------	--------

Escherichia Coli:	Absent	Absent	8/27/25 9:30 AM	AS	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/27/25 9:30 AM	AS	SM 9222B
Standard plate count:	0/ml	200/ml	8/26/25 4:30 PM	AS	SM 9215B

Additional Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
---------------------	---------	-----------------	----------------------	---------	--------

Fecal Streptococcus	0/100mls	2/100mls	8/27/25 12:10 PM	PS	SM 9230C
---------------------	----------	----------	------------------	----	----------

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
----------------	---------	-----------------	-----------	---------	--------

pH:	7.4 SU	7.2 - 7.8 SU	8/26/25 9:15 AM	VH	DPD
Chlorine:	5.0 mg/l	1.0 - 5.0 mg/l	8/26/25 9:15 AM	VH	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/26/25 9:15 AM	VH	Visual

**Sample comments**

*Andre Smith*

( When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor