



**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

Lab ID No. 02-04041

**N-11**

**Lab# 085**

**Customer**

Facility Name: *Deer Lakes H.S.*  
  
Address: *163 East Union Road*  
*Cheswick, PA 15024*

Matrix: *Recreational Water*

Source Type: *Shallow End*

**Sample Collection**

Date: *8/5/25*  
Time: *3:10 PM*  
Method: *Grab*

**Sample Final Analysis**

Date: *8/8/25*  
Time: *8:30 AM*  
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	8/6/25	2:40 PM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/6/25	2:40 PM	AH	SM 9222B
Standard plate count:	0/ml	200/ml	8/5/25	6:45 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.2 SU	7.2 - 7.8 SU	8/5/25	3:10 PM	SH	DPD
Chlorine:	3.0 mg/l	1.0 - 5.0 mg/l	8/5/25	3:10 PM	SH	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/5/25	3:10 PM	SH	Visual

**Sample comments**

( When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor



**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

Lab ID No. 02-04041

**N-11**

**Lab# 085**

**Customer**

Facility Name: *Deer Lakes H.S.*  
  
Address: *163 East Union Road*  
*Cheswick, PA 15024*

Matrix: *Recreational Water*

Source Type: *Shallow End*

**Sample Collection**

Date: *8/5/25*  
Time: *3:10 PM*  
Method: *Grab*

**Sample Final Analysis**

Date: *8/8/25*  
Time: *8:30 AM*  
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	8/6/25	2:40 PM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/6/25	2:40 PM	AH	SM 9222B
Standard plate count:	0/ml	200/ml	8/5/25	6:45 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.2 SU	7.2 - 7.8 SU	8/5/25	3:10 PM	SH	DPD
Chlorine:	3.0 mg/l	1.0 - 5.0 mg/l	8/5/25	3:10 PM	SH	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/5/25	3:10 PM	SH	Visual

**Sample comments**

( When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor