



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

W-13

Lab# 2370

Customer

Facility Name: *Mystic Hills*
Address: *100 Pappan Dr.*
Imperial, PA 15126

Matrix: *Recreational Water*

Source Type: *Pool*

Sample Collection

Date: *7/15/25*
Time: *10:14 AM*
Method: *Grab*

Sample Final Analysis

Date: *7/18/25*
Time: *9:30 AM*
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	7/16/25 10:10 AM	EB	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/16/25 10:10 AM	EB	SM 9222B
Standard plate count:	0/ml	200/ml	7/15/25 4:00 PM	EB	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	7/15/25 10:14 AM	AH	DPD
Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	7/15/25 10:14 AM	AH	DPD
Turbidity:	1 NTU	1 - 2 NTU	7/15/25 10:14 AM	AH	Visual

Sample comments

Andre Smith

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

W-13

Lab# 2370

Customer

Facility Name: *Mystic Hills*

Address: *100 Pappan Dr.*
Imperial, PA 15126

Matrix: *Recreational Water*

Source Type: *Pool*

Sample Collection

Date: *7/15/25*
Time: *10:14 AM*
Method: *Grab*

Sample Final Analysis

Date: *7/18/25*
Time: *9:30 AM*
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation	Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	7/16/25	10:10 AM	EB	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/16/25	10:10 AM	EB	SM 9222B
Standard plate count:	0/ml	200/ml	7/15/25	4:00 PM	EB	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method	
pH:	7.6 SU	7.2 - 7.8 SU	7/15/25	10:14 AM	AH	DPD
Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	7/15/25	10:14 AM	AH	DPD
Turbidity:	1 NTU	1 - 2 NTU	7/15/25	10:14 AM	AH	Visual

Sample comments

Andre Smith

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor