Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

N-16

Lab# 2336

Customer		*Sample Collection*	
Facility Name:	*Mars Home for Youth*	*Date:*	*6/30/25*
		Time:	*1:54 PM*
Address:	*521 Route 228*	*Method:*	*Grab*
	Mars, PA 16046		
		Sample Final Analysis	
Matrix:	*Recreational Water*	*Date:*	*7/3/25*
		Time:	*9:30 AM*
Source Type:	*Pool*	*Analyst:*	*AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	7/1/25	9:30 AM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/1/25	9:30 AM	AH	SM 9222B
Standard plate count:	0/ml	200/ml	6/30/25	3:44 PM	AH	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	6/30/25	1:54 PM	GR	DPD
Chlorine:	5.0 mg/l	1.0 - 5.0 mg/l	6/30/25	1:54 PM	GR	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/30/25	1:54 PM	GR	Visual

Sample comments

Andre Smith

(When exceeding reporting limit pool or spa is unfit)

_____

Andre Smith, Lead Supervisor

Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

N-16

Lab#   2336

**Customer**

Facility Name:	*Mars Home for Youth*
Address:	*521 Route 228*
	Mars, PA 16046
Matrix:	*Recreational Water*
Source Type:	*Pool*

**Sample Collection**

Date:	*6/30/25*
Time:	1:54 PM
Method:	*Grab*

**Sample Final Analysis**

Date:	*7/3/25*
Time:	*9:30 AM*
Analyst:	*AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	7/1/25	9:30 AM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/1/25	9:30 AM	AH	SM 9222B
Standard plate count:	0/ml	200/ml	6/30/25	3:44 PM	AH	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	6/30/25	1:54 PM	GR	DPD
Chlorine:	5.0 mg/l	1.0 - 5.0 mg/l	6/30/25	1:54 PM	GR	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/30/25	1:54 PM	GR	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith

Andre Smith, Lead Supervisor