

Dream Pools and Spas 1105 Washington Blvd Pittsburgh, Pennsylvania 15206 (412) 661- 7665 Laboratory Analysis Report

Lab ID No. 02-04041

E - 12

Lab# 2235

 Customer
 Sample Collection

 Facility Name:
 Green Oaks C.C.
 Date: 6/10/25

 Time:
 1:50 PM

 Address:
 5741 3rd Street
 Method: Grab

 Verona, PA 15147
 Sample Final Analysis

Matrix: Recreational Water Date: 6/13/25
Time: 9:30 AM

Source Type: Baby Pool Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	6/11/25	10:00 AM	АН	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/11/25	10:00 AM	АН	SM 9222B
Standard plate count:	0/ml	200/ml	6/10/25	3:12 PM	EB	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	6/10/25	1:50 PM	EH	DPD
Chlorine:	1.0 mg/l	1.0 - 5.0 mg/l	6/10/25	1:50 PM	EH	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/10/25	1:50 PM	EH	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

andre Smith

Andre Smith, Lead Supervisor



Dream Pools and Spas 1105 Washington Blvd Pittsburgh, Pennsylvania 15206 (412) 661- 7665 Laboratory Analysis Report

Lab ID No. 02-04041

E - 12

Lab# 2235

 Customer
 Sample Collection

 Facility Name:
 Green Oaks C.C.
 Date: 6/10/25

 Time:
 1:50 PM

 Address:
 5741 3rd Street
 Method: Grab

 Verona, PA 15147
 Sample Final Analysis

Matrix: Recreational Water Date: 6/13/25
Time: 9:30 AM

Source Type: Baby Pool Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	6/11/25	10:00 AM	АН	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/11/25	10:00 AM	АН	SM 9222B
Standard plate count:	0/ml	200/ml	6/10/25	3:12 PM	EB	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	6/10/25	1:50 PM	EH	DPD
Chlorine:	1.0 mg/l	1.0 - 5.0 mg/l	6/10/25	1:50 PM	EH	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/10/25	1:50 PM	EH	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

andre Smith

Andre Smith, Lead Supervisor