



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

N-12

Lab# 2288

Customer

Facility Name: *Ingomar Swim Club*
Address: *1512 Ingomar Heights Rd.*
Pittsburgh, PA 15237

Matrix: *Recreational Water*
Source Type: *Deep End*

Sample Collection

Date: *6/10/25*
Time: *1:33 PM*
Method: *Grab*

Sample Final Analysis

Date: *6/13/25*
Time: *9:30 AM*
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	6/11/25	11:30 AM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/11/25	11:30 AM	AH	SM 9222B
Standard plate count:	0/ml	200/ml	6/10/25	5:50 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.8 SU	7.2 - 7.8 SU	6/10/25	1:33 PM	MM	DPD
Chlorine:	1.0 mg/l	1.0 - 5.0 mg/l	6/10/25	1:33 PM	MM	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/10/25	1:33 PM	MM	Visual

Sample comments

Andre Smith

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

N-12

Lab# 2288

Customer

Facility Name: *Ingomar Swim Club*
Address: *1512 Ingomar Heights Rd.*
Pittsburgh, PA 15237

Sample Collection

Date: *6/10/25*
Time: *1:33 PM*
Method: *Grab*

Sample Final Analysis

Date: *6/13/25*
Time: *9:30 AM*
Analyst: *AS*

Matrix: *Recreational Water*
Source Type: *Deep End*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	6/11/25	11:30 AM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/11/25	11:30 AM	AH	SM 9222B
Standard plate count:	0/ml	200/ml	6/10/25	5:50 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.8 SU	7.2 - 7.8 SU	6/10/25	1:33 PM	MM	DPD
Chlorine:	1.0 mg/l	1.0 - 5.0 mg/l	6/10/25	1:33 PM	MM	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/10/25	1:33 PM	MM	Visual

Sample comments

Andre Smith

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor