Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

S-10

Lab# 258

Customer

Facility Name: *Providence Pointe*

Address: *301 Kane Boulevard*
Pittsburgh, PA 15243

Matrix: *Recreational Water*

Source Type: *Pool*

Sample Collection

Date: *8/4/25*
Time: 12:48 PM
Method: *Grab*

Sample Final Analysis

Date: *8/7/25*
Time: 11:20 AM
Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	8/5/25	1:15 PM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/5/25	1:15 PM	AH	SM 9222B
Standard plate count:	20/ml	200/ml	8/4/25	7:20 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	8/4/25	12:48 PM	CW	DPD
Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	8/4/25	12:48 PM	CW	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/4/25	12:48 PM	CW	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

_____

Andre Smith, Lead Supervisor

Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

S-10

Lab# 258

Customer

Facility Name:	*Providence Pointe*
Address:	*301 Kane Boulevard*
	Pittsburgh, PA 15243
Matrix:	*Recreational Water*
Source Type:	*Pool*

Sample Collection

Date:	*8/4/25*
Time:	12:48 PM
Method:	*Grab*

Sample Final Analysis

Date:	*8/7/25*
Time:	11:20 AM
Analyst:	AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	8/5/25	1:15 PM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/5/25	1:15 PM	AH	SM 9222B
Standard plate count:	20/ml	200/ml	8/4/25	7:20 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	8/4/25	12:48 PM	CW	DPD
Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	8/4/25	12:48 PM	CW	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/4/25	12:48 PM	CW	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith
_____
Andre Smith, Lead Supervisor