



**Dreams Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

Lab ID No. 02-04041

**PPS**

**Lab# 253**

**Customer**

Facility Name: *Perry Traditional Academy*

Address: *3875 Perrysville Ave.  
Pittsburgh, PA 15214*

Matrix: *Recreational Water*

Source Type: *Pool Shallow*

**Sample Collection**

Date: *7/8/25*

Time: *1:15 PM*

Method: *Grab*

**Sample Final Analysis**

Date: *7/11/25*

Time: *9:00 AM*

Analyst: *AS*

Accredited Analysis	Results	Rating	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	A	7/9/25	9:30 AM	AH	SM 9222G
Total coliforms:	0/100mls	A	7/9/25	9:30 AM	AH	SM 9222B
Standard plate count:	0/ml	A	7/8/25	4:30 PM	AH	SM 9215B

Field Analysis	Results	Rating	Date/Time		Analyst	Method
pH:	7.6 SU	A	7/8/25	1:15 PM	EJ	DPD
Chlorine:	1.5 mg/l	C	7/8/25	1:15 PM	EJ	DPD
Turbidity:	1 NTU	A	7/8/25	1:15 PM	EJ	Visual

**Sample comments**

*Andre Smith*

( When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor



**Dreams Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

Lab ID No. 02-04041

**PPS**

**Lab# 253**

**Customer**

Facility Name: *Perry Traditional Academy*

Address: *3875 Perrysville Ave.  
Pittsburgh, PA 15214*

Matrix: *Recreational Water*

Source Type: *Pool Shallow*

**Sample Collection**

Date: *7/8/25*

Time: *1:15 PM*

Method: *Grab*

**Sample Final Analysis**

Date: *7/11/25*

Time: *9:00 AM*

Analyst: *AS*

Accredited Analysis	Results	Rating	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	A	7/9/25	9:30 AM	AH	SM 9222G
Total coliforms:	0/100mls	A	7/9/25	9:30 AM	AH	SM 9222B
Standard plate count:	0/ml	A	7/8/25	4:30 PM	AH	SM 9215B

Field Analysis	Results	Rating	Date/Time		Analyst	Method
pH:	7.6 SU	A	7/8/25	1:15 PM	EJ	DPD
Chlorine:	1.5 mg/l	C	7/8/25	1:15 PM	EJ	DPD
Turbidity:	1 NTU	A	7/8/25	1:15 PM	EJ	Visual

**Sample comments**

*Andre Smith*

( When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor