



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041
E - 10

Lab# 001

Customer

Facility Name: *Aerobics Center*
Address: *526 New Alexandria Road*
Greensburg, PA 15601

Matrix: *Recreational Water*
Source Type: *Pool*

Sample Collection

Date: *6/17/25*
Time: *10:40 AM*
Method: *Grab*

Sample Final Analysis

Date: *6/20/25*
Time: *9:00 AM*
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation	Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	6/18/25	9:00 AM	EB	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/18/25	9:00 AM	EB	SM 9222B
Standard plate count:	0/ml	200/ml	6/17/25	3:03 PM	EB	SM 9215B

Field Analysis	Results	Reporting limit		Date/Time	Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	6/17/25	10:40 AM	JC	DPD
Chlorine:	7.5 mg/l	1.0 - 5.0 mg/l	6/17/25	10:40 AM	JC	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/17/25	10:40 AM	JC	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041
E - 10

Lab# 001

Customer

Facility Name: *Aerobics Center*
Address: *526 New Alexandria Road*
Greensburg, PA 15601

Matrix: *Recreational Water*
Source Type: *Pool*

Sample Collection

Date: *6/17/25*
Time: *10:40 AM*
Method: *Grab*

Sample Final Analysis

Date: *6/20/25*
Time: *9:00 AM*
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation	Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	6/18/25	9:00 AM	EB	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/18/25	9:00 AM	EB	SM 9222B
Standard plate count:	0/ml	200/ml	6/17/25	3:03 PM	EB	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method	
pH:	7.4 SU	7.2 - 7.8 SU	6/17/25	10:40 AM	JC	DPD
Chlorine:	7.5 mg/l	1.0 - 5.0 mg/l	6/17/25	10:40 AM	JC	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/17/25	10:40 AM	JC	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith

Andre Smith, Lead Supervisor