

Dream Pools and Spas 1105 Washington Blvd Pittsburgh, Pennsylvania 15206 (412) 661- 7665 Laboratory Analysis Report

Lab ID No. 02-04041

S-15

Lab# 2636

Customer Sample Collection

Facility Name: Oakbrooke Estates Date: 7/1/25
Time: 3:25 PM

Address: Oakbrooke Dr. Method: Grab
Canonsburgh, PA 15317

Sample Final Analysis

Matrix: Recreational Water Date: 7/4/25
Time: 9:30 AM

Source Type: Pool Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	7/2/25	11:20 AM	EB	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/2/25	11:20 AM	EB	SM 9222B
Standard plate count:	0/ml	200/ml	7/1/25	5:37 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
рН:	7.0 SU	7.2 - 7.8 SU	7/1/25	3:25 PM	AF	DPD
Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	7/1/25	3:25 PM	AF	DPD
Turbidity:	1 NTU	1 - 2 NTU	7/1/25	3:25 PM	AF	Visual

Sample comments

anobre Smith

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor



Dream Pools and Spas 1105 Washington Blvd Pittsburgh, Pennsylvania 15206 (412) 661- 7665 Laboratory Analysis Report

Lab ID No. 02-04041

S-15

Lab# 2636

Customer Sample Collection

Facility Name: Oakbrooke Estates Date: 7/1/25
Time: 3:25 PM

Address: Oakbrooke Dr. Method: Grab
Canonsburgh, PA 15317

Sample Final Analysis

Matrix: Recreational Water Date: 7/4/25
Time: 9:30 AM

Source Type: Pool Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	7/2/25	11:20 AM	EB	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/2/25	11:20 AM	EB	SM 9222B
Standard plate count:	0/ml	200/ml	7/1/25	5:37 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
рН:	7.0 SU	7.2 - 7.8 SU	7/1/25	3:25 PM	AF	DPD
Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	7/1/25	3:25 PM	AF	DPD
Turbidity:	1 NTU	1 - 2 NTU	7/1/25	3:25 PM	AF	Visual

Sample comments

anobre Smith

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor