



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

E-2

Lab# 001

Customer

Facility Name: *Aerobics Center*
Address: *526 New Alexandria Rd.*
Greensburg, PA 15601

Matrix: *Recreational Water*
Source Type: *Pool*

Sample Collection

Date: *1/5/26*
Time: *2:50 PM*
Method: *Grab*

Sample Final Analysis

Date: *1/8/26*
Time: *10:30 AM*
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	1/6/26 10:00 AM	SL	SM 9222G
Total coliforms:	0/100mls	2/100mls	1/6/26 10:00 AM	SL	SM 9222B
Standard plate count:	0/ml	200/ml	1/5/26 5:40 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	8.0 SU	7.2 - 7.8 SU	1/5/26 2:50 PM	EB	DPD
Chlorine:	5.0 mg/l	1.0 - 5.0 mg/l	1/5/26 2:50 PM	EB	DPD
Turbidity:	1 NTU	1 - 2 NTU	1/5/26 2:50 PM	EB	Visual

Sample comments

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)