

**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

**Lab No. 02-04041**

**Lab# 442**

**Customer**

**Facility Name:** Atria Cranberry Woods

**Address:** 3020 Fairport Lane  
Cranberry, PA 16066

**Matrix:** Recreational Water

**Source Type:** Pool

**Sample Collection**

**Date:** 6/3/25

**Time:** 10:33 AM

**Method:** Grab

**Sample Final Analysis**

**Date:** 6/6/25

**Time:** 9:30 AM

**Analyst:** AS


Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	6/4/25	9:50 AM	EB	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/4/25	9:50 AM	EB	SM 9222B
Standard plate count:	0/ml	200/ml	6/3/25	4:25 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	6/3/25	10:33 AM	ZR	DPD
Chlorine:	1.0 mg/l	1.0 - 5.0 mg/l	6/3/25	10:33 AM	ZR	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/3/25	10:33 AM	ZR	Visual

**Sample comments**

( When exceeding reporting limit pool or spa is unfit)

*Anaë Smith*



**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

**Lab No. 02-04041**

**Lab# 442**

**Customer**

**Facility Name:** Atria Cranberry Woods

**Address:** 3020 Fairport Lane  
Cranberry, PA 16066

**Matrix:** Recreational Water

**Source Type:** Pool

**Sample Collection**

**Date:** 6/3/25

**Time:** 10:33 AM

**Method:** Grab

**Sample Final Analysis**

**Date:** 6/6/25

**Time:** 9:30 AM

**Analyst:** AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	6/4/25	9:50 AM	EB	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/4/25	9:50 AM	EB	SM 9222B
Standard plate count:	0/ml	200/ml	6/3/25	4:25 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	6/3/25	10:33 AM	ZR	DPD
Chlorine:	1.0 mg/l	1.0 - 5.0 mg/l	6/3/25	10:33 AM	ZR	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/3/25	10:33 AM	ZR	Visual

**Sample comments**

( When exceeding reporting limit pool or spa is unfit)

*Anaë Smith*