



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

S-1

Lab# 443

Customer

Facility Name: *Highpoint Fitness*

Address: *1000 Higbee Dr.*
Bethel Park, PA 15102

Sample Collection

Date: *11/26/25*
Time: *12:14 PM*
Method: *Grab*

Matrix: *Recreational Water*

Source Type: *Pool*

Sample Final Analysis

Date: *11/28/25*
Time: *4:00 PM*
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	11/26/25	3:40 PM	AS	SM 9222G
Total coliforms:	0/100mls	2/100mls	11/26/25	3:40 PM	AS	SM 9222B
Standard plate count:	0/ml	200/ml	11/26/25	3:30 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	11/26/25	12:14 PM	MM	DPD
Chlorine:	3.0 mg/l	1.0 - 5.0 mg/l	11/26/25	12:14 PM	MM	DPD
Turbidity:	1 NTU	1 - 2 NTU	11/26/25	12:14 PM	MM	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor