



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

APM 3

Lab# 2452

Customer *American Pools Management*
3261 Babcock Blvd.
Pittsburgh, PA 15237

Facility Name: *Rose Garden*

Address: *129 Canterbury Ln.*
Canonsburg, PA 15317

Sample Collection

Date: *8/26/25*
Time: *9:59 AM*
Method: *Grab*

Matrix: *Recreational Water*

Source Type: *Wading Pool*

Sample Final Analysis

Date: *8/29/25*
Time: *10:30 AM*
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	8/27/25	12:00 PM	AS	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/27/25	12:00 PM	AS	SM 9222B
Standard plate count:	0/ml	200/ml	8/26/25	5:30 PM	AS	SM 9215B
Additional Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
pH:	7.8 SU	7.2 - 7.8 SU	8/26/25	9:59 AM	AF	DPD
Chlorine:	7.5 mg/l	1.0 - 5.0 mg/l	8/26/25	9:59 AM	AF	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/26/25	9:59 AM	AF	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor