



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

N-14

Lab# 2660

Customer

Facility Name: Park Place Rec
Address: 250 Bucktail Dr.
Cranberry, PA 16066

Matrix: Recreational Water

Source Type: Pool

Sample Collection

Date: 8/18/25
Time: 1:45 PM
Method: Grab

Sample Final Analysis

Date: 8/21/25
Time: 9:00 AM
Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	8/19/25 10:00 AM	SL	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/19/25 10:00 AM	SL	SM 9222B
Standard plate count:	60/ml	200/ml	8/18/25 4:20 PM	EB	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	8/18/25 1:45 PM	ZR	DPD
Chlorine:	0.0 mg/l	1.0 - 5.0 mg/l	8/18/25 1:45 PM	ZR	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/18/25 1:45 PM	ZR	Visual

Sample comments

Andre Smith, Lead Supervisor

Andre Smith

(When exceeding reporting limit pool or spa is unfit)