



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661-7665
Laboratory Analysis Report

Lab ID No. 02-04041

S-14

Lab# 2355

Customer

Facility Name: Montclair Estates
Address: 1200 Sherbrook Drive
Pittsburgh, PA 15241
Matrix: Recreational Water
Source Type: Pool

Sample Collection

Date: 7/7/25
Time: 11:42 AM
Method: Grab

Sample Final Analysis

Date: 7/10/25
Time: 9:30 AM
Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	7/8/25	10:20 AM	EB
Total coliforms:	0/100mls	2/100mls	7/8/25	10:20 AM	EB
Standard plate count:	0/ml	200/ml	7/7/25	5:50 PM	SL

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	7/7/25	11:42 AM	AF
Chlorine:	7.5 mg/l	1.0 - 5.0 mg/l	7/7/25	11:42 AM	AF
Turbidity:	1 NTU	1 - 2 NTU	7/7/25	11:42 AM	AF

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Anne Smith



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661-7665
Laboratory Analysis Report

Lab ID No. 02-04041

S-14

Lab# 2355

Customer

Facility Name: Montclair Estates
Address: 1200 Sherbrook Drive
Pittsburgh, PA 15241
Matrix: Recreational Water
Source Type: Pool

Sample Collection

Date: 7/7/25
Time: 11:42 AM
Method: Grab

Sample Final Analysis

Date: 7/10/25
Time: 9:30 AM
Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	7/8/25	10:20 AM	EB
Total coliforms:	0/100mls	2/100mls	7/8/25	10:20 AM	EB
Standard plate count:	0/ml	200/ml	7/7/25	5:50 PM	SL

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	7/7/25	11:42 AM	AF
Chlorine:	7.5 mg/l	1.0 - 5.0 mg/l	7/7/25	11:42 AM	AF
Turbidity:	1 NTU	1 - 2 NTU	7/7/25	11:42 AM	AF

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Anne Smith