



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

APM 3

Lab# 2301

Customer

American Pools Management
3261 Babcock Blvd.
Pittsburgh, PA 15237

Sample Collection

Date: 6/4/25
Time: 9:00 AM
Method: Grab

Sample Final Analysis

Date: 6/6/25
Time: 4:00 PM
Analyst: AS

Facility Name: Kennedy Highlands
Address: 200 Adams Dr.
McKees Rock, PA 15136

Matrix: Recreational Water
Source Type: Pool

Accredited Analysis	Results	Reporting limit	Incubation	Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	6/4/25	6:50 PM	SL	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/4/25	6:50 PM	SL	SM 9222B
Standard plate count:	0/ml	200/ml	6/4/25	6:15 PM	EB	SM 9215B

Field Analysis	Results	Reporting limit		Date/Time	Analyst	Method
pH:	8.0 SU	7.2 - 7.8 SU	6/4/25	9:00 AM	VH	DPD
Chlorine:	10.0 mg/l	1.0 - 5.0 mg/l	6/4/25	9:00 AM	VH	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/4/25	9:00 AM	VH	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

APM 3

Lab# 2301

Customer

American Pools Management
3261 Babcock Blvd.
Pittsburgh, PA 15237

Sample Collection

Date: 6/4/25
Time: 9:00 AM
Method: Grab

Sample Final Analysis

Date: 6/6/25
Time: 4:00 PM
Analyst: AS

Facility Name: Kennedy Highlands
Address: 200 Adams Dr.
McKees Rock, PA 15136

Matrix: Recreational Water
Source Type: Pool

Accredited Analysis	Results	Reporting limit	Incubation	Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	6/4/25	6:50 PM	SL	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/4/25	6:50 PM	SL	SM 9222B
Standard plate count:	0/ml	200/ml	6/4/25	6:15 PM	EB	SM 9215B

Field Analysis	Results	Reporting limit		Date/Time	Analyst	Method
pH:	8.0 SU	7.2 - 7.8 SU	6/4/25	9:00 AM	VH	DPD
Chlorine:	10.0 mg/l	1.0 - 5.0 mg/l	6/4/25	9:00 AM	VH	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/4/25	9:00 AM	VH	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor