



**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

Lab ID No. 02-04041

**APM 3**

**Lab# 2432**

**Customer**

*American Pools Management*  
*3261 Babcock Blvd.*  
*Pittsburgh, PA 15237*

**Sample Collection**

*Date: 7/8/25*  
*Time: 1:53 PM*  
*Method: Grab*

**Sample Final Analysis**

*Date: 7/11/25*  
*Time: 9:00 AM*  
*Analyst: AS*

*Facility Name: Reserve at Southpoint*

*Address: 1000 Meadow Lane*  
*Canonsburg PA 15317*

*Matrix: Recreational Water*

*Source Type: Pool*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
---------------------	---------	-----------------	----------------------	---------	--------

Escherichia Coli:	Absent	Absent	7/9/25	10:40 AM	AH	SM 9222G
-------------------	--------	--------	--------	----------	----	----------

Total coliforms:	0/100mls	2/100mls	7/9/25	10:40 AM	AH	SM 9222B
------------------	----------	----------	--------	----------	----	----------

Standard plate count:	250/ml	200/ml	7/8/25	5:35 PM	AS	SM 9215B
-----------------------	--------	--------	--------	---------	----	----------

Additional Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
---------------------	---------	-----------------	----------------------	---------	--------

Fecal Streptococcus	0/100mls	2/100mls	1/0/00	12:00 AM	0	SM 9230C
---------------------	----------	----------	--------	----------	---	----------

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
----------------	---------	-----------------	-----------	---------	--------

pH:	7.6 SU	7.2 - 7.8 SU	7/8/25	1:53 PM	AF	DPD
-----	--------	--------------	--------	---------	----	-----

Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	7/8/25	1:53 PM	AF	DPD
-----------	----------	----------------	--------	---------	----	-----

Turbidity:	1 NTU	1 - 2 NTU	7/8/25	1:53 PM	AF	Visual
------------	-------	-----------	--------	---------	----	--------

**Sample comments**

*Andre Smith*

( When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor



**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

Lab ID No. 02-04041

**APM 3**

**Lab# 2432**

**Customer**

*American Pools Management*  
*3261 Babcock Blvd.*  
*Pittsburgh, PA 15237*

*Facility Name: Reserve at Southpoint*

*Address: 1000 Meadow Lane*  
*Canonsburg PA 15317*

*Matrix: Recreational Water*

*Source Type: Pool*

**Sample Collection**

*Date: 7/8/25*  
*Time: 1:53 PM*  
*Method: Grab*

**Sample Final Analysis**

*Date: 7/11/25*  
*Time: 9:00 AM*  
*Analyst: AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
---------------------	---------	-----------------	----------------------	---------	--------

Escherichia Coli:	Absent	Absent	7/9/25	10:40 AM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/9/25	10:40 AM	AH	SM 9222B
Standard plate count:	250/ml	200/ml	7/8/25	5:35 PM	AS	SM 9215B

Additional Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
---------------------	---------	-----------------	----------------------	---------	--------

Fecal Streptococcus	0/100mls	2/100mls	1/0/00	12:00 AM	0	SM 9230C
---------------------	----------	----------	--------	----------	---	----------

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
----------------	---------	-----------------	-----------	---------	--------

pH:	7.6 SU	7.2 - 7.8 SU	7/8/25	1:53 PM	AF	DPD
Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	7/8/25	1:53 PM	AF	DPD
Turbidity:	1 NTU	1 - 2 NTU	7/8/25	1:53 PM	AF	Visual

**Sample comments**

*Andre Smith*

( When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor