Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

E - 10

Lab# 2238

Customer

		Sample Collection	
Facility Name:	*Greensburg C.C.*	*Date:*	*7/15/25*
		Time:	*11:11 AM*
Address:	*309 Pleasant Valley Road*	*Method:*	*Grab*
	Jeannette, PA 15644		
		Sample Final Analysis	
Matrix:	*Recreational Water*	*Date:*	*7/18/25*
		Time:	*9:30 AM*
Source Type:	*Pool*	*Analyst:*	*AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	7/16/25	10:10 AM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/16/25	10:10 AM	AH	SM 9222B
Standard plate count:	0/ml	200/ml	7/15/25	4:00 PM	AH	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	7/15/25	11:11 AM	JC	DPD
Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	7/15/25	11:11 AM	JC	DPD
Turbidity:	1 NTU	1 - 2 NTU	7/15/25	11:11 AM	JC	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith

Andre Smith, Lead Supervisor

Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

E - 10

Lab# 2238

Customer

Facility Name:	*Greensburg C.C.*
Address:	*309 Pleasant Valley Road Jeannette, PA 15644*
Matrix:	*Recreational Water*
Source Type:	*Pool*

Sample Collection

Date:	*7/15/25*
Time:	11:11 AM
Method:	*Grab*

Sample Final Analysis

Date:	*7/18/25*
Time:	*9:30 AM*
Analyst:	*AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	7/16/25	10:10 AM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/16/25	10:10 AM	AH	SM 9222B
Standard plate count:	0/ml	200/ml	7/15/25	4:00 PM	AH	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	7/15/25	11:11 AM	JC	DPD
Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	7/15/25	11:11 AM	JC	DPD
Turbidity:	1 NTU	1 - 2 NTU	7/15/25	11:11 AM	JC	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith

Andre Smith, Lead Supervisor