Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

Lab#   434

Customer
Facility Name:	*SRU Field House*
Address:	*101 Field House Rd.*
	Slippery Rock, PA 16057
Matrix:	*Recreational Water*
Source Type:	*Pool*

Sample Collection
Date:	*7/28/25*
Time:	*2:15 PM*
Method:	*Grab*

Sample Final Analysis
Date:	*7/31/25*
Time:	*9:00 AM*
Analyst:	*AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	7/29/25	11:00 AM	EB	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/29/25	11:00 AM	EB	SM 9222B
Standard plate count:	570/ml	200/ml	7/28/25	5:40 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	7/28/25	2:15 PM	BH	DPD
Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	7/28/25	2:15 PM	BH	DPD
Turbidity:	1 NTU	1 - 2 NTU	7/28/25	2:15 PM	BH	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith

Andre Smith, Lead Supervisor

Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

Lab#   434

Customer

Facility Name:	*SRU Field House*
Address:	*101 Field House Rd.*
	Slippery Rock, PA 16057
Matrix:	*Recreational Water*
Source Type:	*Pool*

Sample Collection

Date:	*7/28/25*
Time:	2:15 PM
Method:	*Grab*

Sample Final Analysis

Date:	*7/31/25*
Time:	*9:00 AM*
Analyst:	*AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	7/29/25	11:00 AM	EB	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/29/25	11:00 AM	EB	SM 9222B
Standard plate count:	570/ml	200/ml	7/28/25	5:40 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	7/28/25	2:15 PM	BH	DPD
Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	7/28/25	2:15 PM	BH	DPD
Turbidity:	1 NTU	1 - 2 NTU	7/28/25	2:15 PM	BH	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith

Andre Smith, Lead Supervisor