



**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

Lab ID No. 02-04041

**N-13**

**Lab# 433**

**Customer**

**Facility Name:** Atria Senior Living  
**Address:** 8870 Duncan Ave.  
Pittsburgh, PA 15237

**Matrix:** Recreational Water

**Source Type:** Pool

**Sample Collection**

**Date:** 8/26/26  
**Time:** 12:51 PM  
**Method:** Grab

**Sample Final Analysis**

**Date:** 8/29/26  
**Time:** 11:00 AM  
**Analyst:** AS

| Accredited Analysis   | Results  | Reporting limit | Incubation | Date/Time | Analyst | Method   |
|-----------------------|----------|-----------------|------------|-----------|---------|----------|
| Escherichia Coli:     | Absent   | Absent          | 8/27/26    | 10:30 AM  | AH      | SM 9222G |
| Total coliforms:      | 0/100mls | 2/100mls        | 8/27/26    | 10:30 AM  | AH      | SM 9222B |
| Standard plate count: | 10/ml    | 200/ml          | 8/26/26    | 5:00 PM   | AH      | SM 9215B |

| Field Analysis | Results  | Reporting limit | Date/Time | Analyst  | Method |        |
|----------------|----------|-----------------|-----------|----------|--------|--------|
| pH:            | 7.6 SU   | 7.2 - 7.8 SU    | 8/26/26   | 12:51 PM | MM     | DPD    |
| Chlorine:      | 1.0 mg/l | 1.0 - 5.0 mg/l  | 8/26/26   | 12:51 PM | MM     | DPD    |
| Turbidity:     | 1 NTU    | 1 - 2 NTU       | 8/26/26   | 12:51 PM | MM     | Visual |

**Sample comments**

Andre Smith, Lead Supervisor

( When exceeding reporting limit pool or spa is unfit)