



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

W-10

Lab# 2478

Customer

Facility Name: Seven Oaks C.C.
Address: 132 Lisbon Road
Beaver, PA 15009
Matrix: Recreational Water
Source Type: Wading Pool

Sample Collection

Date: 8/24/26
Time: 3:12 PM
Method: Grab

Sample Final Analysis

Date: 8/27/26
Time: 12:00 PM
Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	8/25/26 11:40 AM	AS	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/25/26 11:40 AM	AS	SM 9222B
Standard plate count:	0/ml	200/ml	8/24/26 6:45 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	8/24/26 3:12 PM	AMH	DPD
Chlorine:	1.0 mg/l	1.0 - 5.0 mg/l	8/24/26 3:12 PM	AMH	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/24/26 3:12 PM	AMH	Visual

Sample comments

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)