



Dream Pools And Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

APM 2

Lab# 2248

Customer *American Pools Management*
3261 Babcock Blvd.
Pittsburgh, PA 15237

Facility Name: *Hickory Heights*

Address: *118 Hickory Heights Dr.*
Bridgeville, PA 15017

Matrix: *Recreational Water*

Source Type: *Wading Pool*

Sample Collection

Date: *8/24/26*

Time: *2:35 PM*

Method: *Grab*

Sample Final Analysis

Date: *8/27/26*

Time: *11:00 AM*

Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	8/25/26	10:45 AM	AS	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/25/26	10:45 AM	AS	SM 9222B
Standard plate count:	0/ml	200/ml	8/24/26	5:55 PM	AS	SM 9215B
Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	8/24/26	2:35 PM	AS	DPD
Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	8/24/26	2:35 PM	AS	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/24/26	2:35 PM	AS	Visual

Sample comments

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)