



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041
C-11

Lab# 032

Customer

Facility Name: Cambria Suites

Address: 1320 Centre Ave
Pittsburgh, PA 15219

Matrix: Recreational Water

Source Type: Spa

Sample Collection

Date: 6/22/26
Time: 12:50 PM
Method: Grab

Sample Final Analysis

Date: 6/24/26
Time: 12:00 PM
Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
---------------------	---------	-----------------	----------------------	---------	--------

Escherichia Coli:	Absent	Absent	6/23/26 11:30 AM	AH	SM 9222G
-------------------	--------	--------	------------------	----	----------

Total coliforms:	0/100mls	2/100mls	6/23/26 11:30 AM	AH	SM 9222B
------------------	----------	----------	------------------	----	----------

Standard plate count:	5700/ml	200/ml	6/22/26 5:30 PM	AS	SM 9215B
-----------------------	---------	--------	-----------------	----	----------

Additional Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
---------------------	---------	-----------------	----------------------	---------	--------

Fecal Streptococcus	0/100mls	2/100mls	6/23/26 1:30 PM	MD	SM 9230C
---------------------	----------	----------	-----------------	----	----------

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
----------------	---------	-----------------	-----------	---------	--------

pH:	7.2 SU	7.2 - 7.8 SU	6/22/26 12:50 PM	JMH	DPD
-----	--------	--------------	------------------	-----	-----

Chlorine:	0.5 mg/l	1.0 - 5.0 mg/l	6/22/26 12:50 PM	JMH	DPD
-----------	----------	----------------	------------------	-----	-----

Turbidity:	1 NTU	1 - 2 NTU	6/22/26 12:50 PM	JMH	Visual
------------	-------	-----------	------------------	-----	--------

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor