



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

C-10

Lab# 2403

Customer

Facility Name: *Pgh Golf Club*

Address: *5280 Northumberland St.
Pittsburgh, PA 15217*

Matrix: *Recreational Water*

Source Type: *Baby Pool*

Sample Collection

Date: *6/23/26*

Time: *2:37 PM*

Method: *Grab*

Sample Final Analysis

Date: *6/25/26*

Time: *12:00 PM*

Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	6/24/26	11:30 AM	MD	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/24/26	11:30 AM	MD	SM 9222B
Standard plate count:	0/ml	200/ml	6/23/26	6:20 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	6/23/26	2:37 PM	JT	DPD
Chlorine:	5.0 mg/l	1.0 - 5.0 mg/l	6/23/26	2:37 PM	JT	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/23/26	2:37 PM	JT	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor